

PART NO.: I-KF5W

Dimension: 225mmx42mm

DESCRIPTION: 304 Stainless steel function keypad

MAIN FEATURE

Faceplate Dimensions: 225mmx42mm

Dustproof, Water proof, Vandalism resistance, Shakeproof, Pickproof

Key travel: 0.45mm.

keyswitch lifetime: > 5 million of operations.

Actuation Force: 2N

Lettering: laser engraved legends for excellent durability

G.W: 0.25kg

TECHNICAL DATA

- Lifespan :> 5 years.
- Interface: PS2, RS232 available.
- Supply Voltage: 5V DC
- Protection Level: IP65; NEMA4X
- Operating temperature:-10C to +60C.
- Storage temperature: -20C to +70C.
- CERT: RoHS, CE and FCC.



HMI Components Division
Diamond Electronics Limited




+44 (0) 1477 505206

+44 (0) 1477 500656

sales@diamondhmi.co.uk


www.diamondhmi.co.uk



HMI Components Division
Diamond Electronics Limited



+44 (0) 1477 505206
+44 (0) 1477 500656
sales@diamondhmi.co.uk
www.diamondhmi.co.uk



HMI Components Division
Diamond Electronics Limited



+44 (0) 1477 505206

+44 (0) 1477 500656

sales@diamondhmi.co.uk

www.diamondhmi.co.uk