



WINSTAR Display Co.,Ltd.
華凌光電股份有限公司



SPECIFICATION

MODULE NO.: TST0004R3H4111XXXX00

General Specification

1. Construction:

Construction	Materials	Comment
Cover Glass	Toughened glass	Thickness: 0.7mm±0.05mm
Optical clear adhesive	Adhesive	Thickness: 0.175mm±0.05mm
ITO Glass	ITO glass	Double side ITO glass; Thickness: 0.70mm±0.05mm


2. Mechanical characteristics:

Item	Description	Unit
Touch Module Size	4.3	inch
Outer Dimension	104.8(W)*66.5(L)	mm
View Area	97(W)*56(L)	mm
Sensor Area	97.4(W)*56.4(L)	mm
Touch Module trace number(Tx*Ty)	15*9	
Resolution	1280*768	
Input Type	I2C	
Control Type	FT5426DQ8	

Interface Pin Function

NO.	Pin Name
1	VSS
2	VDDT
3	SCL
4	NC
5	SDA
6	NC
7	RST
8	NC
9	INT
10	VSS

Contour Drawing



PIN NO.	SYMBOL
1	VSS
2	VDDT
3	SCL
4	NC
5	SDA
6	NC
7	/RST
8	NC
9	/INT
10	VSS

The non-specified tolerance of dimension is ±0.2mm.